



The Development of Peanut Production in Turkey and Osmaniye

Nermin BAHŞI^{a*} and Dilek BOSTAN BUDAK^b

^a Osmaniye Korkut Ata University, Osmaniye, Turkey.

^b Cukurova University, Adana, Turkey.

Authors' contributions

This work was carried out in collaboration between both authors. Both authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/acri/2024/v24i11989>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/126659>

Review Article

Received: 21/09/2024

Accepted: 23/11/2024

Published: 27/11/2024

ABSTRACT

Peanuts are very important nutrition not only for human beings but also animals because of its rich content. Peanut plays a crucial role in the economy of Osmaniye province in Turkey. In 2012, peanuts were registered as a geographically indicated product of Osmaniye by the Turkish Patent and Trademark Office. This study examines current state of peanut production in Turkey and Osmaniye from 2004 to 2023. Over the past 20 years, peanut cultivation areas have expanded in Osmaniye, leading to increase in the share of peanut farming within cereals and other crops from about 7% in 2004 to approximately 12% in 2023. While Osmaniye held the largest share of peanut cultivation areas at 39% in 2004, this decreased to 25% by 2023. During this period, Adana emerged as a major peanut producing province, holding 45% of the cultivation share. The considerable expansion of peanut farming in Adana led to decline is Omaniye's position in producing rankings. Additionally, the number of provinces involved in peanut farming has increased, indicating a broader geographical distribution and diversification of peanut agriculture across the country. There is a need for an organization that can support producers with affordable input

*Corresponding author: Email: nerminbahsi@osmaniye.edu.tr;

supplies, market access, dissemination of innovation, and storage solutions, fostering unity and collaboration within the sector. Expanding the range of peanut based products beyond snacks could open new market opportunities for producers, stabilize market prices, and help reduce income disparities.

Keywords: Peanut; production; Osmaniye; Turkey; market prices; income disparities.

1. INTRODUCTION

Peanuts, a valuable source of nutrition for both humans and animals due to their content of fats, proteins, carbohydrates, vitamins, and minerals (Aşık et al., 2018; Elinç & Erman, 2021; Arslan et al., 2022), hold a significant position among annual oil crops worldwide. Peanut, classified among oil seeds, is considered a functional food due to its content of bioactive compounds such as resveratrol and phytosterol, which have positive health effects, in addition to containing antioxidant vitamins and minerals (Özalp & Kürklü, 2020). Additionally, peanuts contribute greatly to both plant production and livestock farming by being part of crop rotation, efficiently utilizing soil nutrients, and leaving behind clean, semi-processed, nitrogen-rich soil for the following crop, as well as by providing animal feed through its pulp and green parts (Üçeçam & Hayli, 2004; Topcu, 2009; Karabulut & Tunçtürk, 2019).

Belonging to the legume family, peanuts differ from other legumes by producing their fruits underground. Due to their high oil content, peanuts are classified among oilseed crops (Kadiroğlu, 2023, Kadiroğlu, 2023a). Depending on the variety, peanuts contain 44-56% oil, and this oil is superior to many other vegetable oils in terms of taste and resilience (DOĞAKA, 2015). In addition to their important role among oilseed crops, peanuts also serve as a crucial industrial input source due to the diversity of their applications (Bahsi et al., 2012). The use of peanut shells and peanut butter as raw materials in the food industry, and the inclusion of peanut oil or extracts in various processed products, further enhances their importance in the food sector (Topcu, 2009). The peanut shell, which remains after the seed is extracted from the fruit, is utilized in various industries; it is used in chipboard production, as a feed filler, in mushroom cultivation, as fuel, as a filler in the production of artificial wood, in charcoal manufacturing, as roughage in cattle breeding, and as bedding material in poultry farming (DOĞAKA, 2015). The use of peanut shells as a construction material offers the building industry a new, cost-effective material without raw

material shortages. Additionally, incorporating different binders can expand its application possibilities in various forms, potentially serving as a guide for the utilization of shells, stalks, and other agricultural waste from other crops (Çelik & Gürdal, 2005).

In the Cukurova region, peanuts are grown as both a primary crop and a second crop after wheat harvest. Due to their high yield potential, ease of marketing, and high income per unit area, peanuts are among the most advantageous crops for farmers in the Cukurova region (Bademci & Sertkaya, 2021). Osmaniye, due to its geographical location and climatic characteristics, is one of the provinces in Turkey where many agricultural products can be grown. Peanuts are one of the most important crops cultivated in Osmaniye, and they have become a symbol of the region. In 2012, peanuts were registered as a geographically indicated product of Osmaniye by the Turkish Patent and Trademark Office (DOĞAKA, 2024). Geographical indications provide distinctive characteristics to local products, thereby increasing their added value, certifying their authenticity, and granting producers a competitive advantage, which in turn promotes the development of local economies (Özsoy, 2015). As the second-largest peanut producing province in Turkey, Osmaniye serves as the most important center and market for peanut processing and marketing. Approximately, 84% of the peanuts produced in Turkey are marketed in Osmaniye and Adana province (TUIK, 2021) and 80% of the processed peanuts are handled in Osmaniye (Bahsi et al., 2012). Therefore, peanuts are a significant source of employment for this province.

The purpose of this study is to examine Osmaniye's role in Turkey's peanut production and to analyze the changes in its production over the years.

2. MATERIALS AND METHODS

The primary material of the research consists of secondary data obtained from the Turkish Statistical Institute (TUIK) database. The values

related to peanut production in Turkey and the province of Osmaniye (such as cultivation area, production and yield) have been analyzed and interpreted using tables. By calculating the changes in peanut production in Turkey and Osmaniye over the past 20 years, the current potential and significance of peanuts for Turkey have been assessed. In addition to being an important nutritional source for both humans and animals, peanuts are also a vital industrial input due to their diverse applications. The study presents the current status of peanut production in both Turkey and Osmaniye between 2004 and 2023.

3. THE DEVELOPMENT OF PEANUT PRODUCTION IN TURKEY

The insufficient development of peanut planting, harvesting, and threshing technology, and consequently its limited use in the oil industry, is the primary factor restricting production growth. The lack of sufficient mechanization increases the production costs of peanuts compared to other oilseed crops. For this reason, while peanuts are utilized as an oil crop worldwide, in Turkey, they are consumed as a snack and similarly exported in snack form (Kızılaslan & Ağcadağ, 2013).

Peanuts are cultivated within the group of cereals and other plant-based crops. In Turkey, the cultivated area of cereals and other plant-based crops accounted for approximately 68% of the total agricultural land in 2004. This ratio increased to about 70% in 2023 (Table 1). Over the 20-year period from 2004 to 2023, the share of cereals and other plant-based crops in the total agricultural land increased by approximately 3%. In 2004, peanut cultivation areas accounted for 0.14% of the total area for grains and other plant products, while this rate increased to 0.27% in 2023. Within this group, the share of peanut cultivation areas within the cereals and other plant-based crops category has increased by around 90%. The expansion of cultivation areas has been significantly influenced by the

availability of irrigation opportunities and presence of broad, flat alluvial lands (Üçeçam & Hayli, 2004; Baran & Andırman, 2022).

Over the 20 years, peanut cultivation areas have been increased by approximately 77% (Table 2). In Turkey, peanut production, which was 80,000 tons in 2004, increased by approximately 131% over this 20-year period, reaching 185,137 tons in 2023. This rise in production is attributed not only to the expansion of cultivation areas but also to an increase in yield.

According to data from TUIK (2024), peanut farming was carried out in 16 provinces in 2004. The provinces with the largest peanut cultivation areas where Osmaniye, Adana and Mersin (Fig. 1). Osmaniye held the largest share of peanut cultivation areas in 2004, with approximately 39%, followed by Adana with about 29% and Mersin with a share of around 15%. By 2023, the number of provinces engaged in peanut farming had increased to 22. Adana's share of peanut cultivation areas rose to approximately 45%, while Osmaniye's share declined to around 25% (Fig. 2). This shift is attributed to the fact that the increase in peanut cultivation areas in Osmaniye was smaller compared to the expansion in Adana. Over the 20-year period, the increase in peanut cultivation areas in Osmaniye was only 12%, whereas in Adana, this rate was approximately 180%. Mersin, which ranked third in peanut cultivation areas in 2004, saw a decline, dropping to eight place. In contrast, peanut farming, which did not exist in Sırnak in 2004, began in 2009 on 100 decares of land and by 2023, Sırnak ranked third in terms of cultivation areas, with a share of approximately 15%. Özalp & Ören (2020), interpreted the increase in cultivation areas in Adana and Osmaniye provinces, despite the low net and relative profit, as an indication that producers have certain positive expectations regarding peanuts. Additionally, they stated that peanut production in these provinces is profitable and can compete in terms of profitability with other crops that can be cultivated.

Table 1. Total agricultural land and peanut cultivation areas in Turkey

	2004	2023	Change (%)
Total agricultural area (decare)	265,931,780	239,712,313.9	-9.86
Cereals and Other Cultivated Crop Area (Decare)	179,616,500	167,446,350	-6.78
Share of Cereals and Other Crops in Total Agricultural Area (%)	67.54	69.85	3.42
Peanut Cultivation Area (Decare)	260,000	460,098	76.96
Share of peanuts in Cereals and Other Crops (%)	0.14	0.27	89.82

Source: TUIK, 2024

* It has been calculated using TUIK data

Table 2. Developments in peanut (in-shell) production in Turkey

	2004	2023	Change (%)
Cultivated area (decare)	260,000	460,098	76.96
Harvested area (decare)	260,000	460,097	76.96
Yield (kg/da)	308	402	30.52
Production (Tons)	80,000	185,137	131.42

Source: TUIK, 2024

* It has been calculated using TUIK data




Fig. 1. Distribution of peanut cultivation areas by province (2004)

* It has been calculated using TUIK data




Fig. 2. Distribution of peanut cultivation areas by province (2023)

* It has been calculated using TUIK data




Fig. 3. Distribution of peanut production by provinces (2004)

* It has been calculated using TUIK data




Fig. 4. Distribution of peanut production by provinces (2023)

* It has been calculated using TUIK data

When examining the share of provinces in Turkey's total peanut production, Osmaniye ranked first in 2004 with approximately 41%, followed by Adana with 34% (Fig. 3). By 2023, considering the significant increase in cultivation areas, Adana accounted for 48% of total peanut production (Fig. 4). Osmaniye, with a share of around 24%, dropped to second place in

terms of production amount. In 2004, while Osmaniye and Adana were followed by Mersin and Aydın, by 2023, considering the reductions in cultivated areas in these provinces, they have fallen behind in terms of production. In 2023, Şırnak ranked third with a 13% share and Antalya ranked fourth with approximately 4% share.

4. DEVELOPMENTS IN PEANUT PRODUCTION IN OSMANIYE

The agricultural sector serves as one of the primary sources of livelihood in Osmaniye province. Among the key agricultural products in the region, peanut farming stands out as particularly prominent. Table 3 highlights the total agricultural land and areas designated for peanut cultivation in Osmaniye. In 2004, the province had 1,561,810 decares of agricultural land. However, by 2023, this figure had declined to 1,266,040 decares. This reduction is largely attributed to urban expansion and the construction of industrial facilities on previously agricultural land. The shrinking agricultural land has, in turn, affected the cultivation areas for certain crops. For instance, cereals and other crops were cultivated on 1,447,130 decares in 2004, but this area decreased to 966,150 decares by 2023. In 2004, cereals and other crops made up about 93% of Osmaniye's total agricultural land, a figure that fell to approximately 76% in 2023. Despite this overall reduction, peanut cultivation areas expanded over the 20-year period. Consequently, the proportion of peanut cultivation within cereals and other crops category increased from about 7% in 2004 to approximately 12% in 2023.

The developments in peanut production in Osmaniye are presented in Table 4. Over the 20-year period from 2004 to 2023, peanut cultivation areas in Osmaniye increased by approximately

12%. The production volume rose from 33,073 tons in 2004 to 44,060 tons in 2023, representing an increase of about 33%. This rise in production amount can be attributed not only to the expansion of cultivation areas but also to improvements in yield. Peanut yield in Osmaniye increased by approximately 19% during this period.

Peanut cultivation in the Cukurova Region is conducted in two different periods: as a main crop and a second crop. Due to the varying growth durations of these periods, the peanut varieties to be planted must have appropriate growth durations. Among the most critical factors affecting yield per unit area are variety selection and the cultural practices applied (Arioğlu et al., 2016). Late planting of peanuts can delay harvest time, thereby increasing the likelihood of favorable weather conditions at harvest. Timely planting minimizes the impact of adverse weather at harvest, ensuring conditions that align with desired storage moisture levels (Boydak et al., 2023). Aflatoxin formation, which occurs during harvest, wilting, drying, and storage due to fruit decay, growth of pathogenic fungi, and creation of favorable conditions, poses significant issues, particularly in peanut consumption as a snack and in animal feed. Currently, there are substantial problems with peanut drying, pre-storage, and storage stages in the region, and without preventive measures, these issues are expected to escalate in the future (Lavkor & Biçici, 2015).

Table 3. Total agricultural land and peanut cultivation areas in Osmaniye

	2004	2023	Change (%)
Total agricultural area (decare)	1,561,810	1,266,040	-18.94
Cereals and Other Cultivated Crop Area (Decare)	1,447,130	966,150	-33.24
Share of Cereals and Other Crops in Total Agricultural Area (%)	92.66	76.31	-17.64
Peanut Cultivation Area (Decare)	101,080	113,238	12.03
Share of peanuts in Cereals and Other Crops (%)	6.98	11.72	67.80

Source: TUIK, 2024

* It has been calculated using TUIK data

Table 4. Developments in peanut (in Shell) production in Osmaniye

	2004	2023	Change (%)
Cultivated area (decare)	101,080	113,238	12.03
Harvested area (decare)	101,080	113,238	12.03
Yield (kg/decare)	327	389	18.96
Production (Tons)	33,073	44,060	33.22

Source: TUIK, 2024

* It has been calculated using TUIK data

The embrace of peanuts as a cultural asset by the people of Osmaniye, along with its inclusion under geographical indication protection, has paved the way for the product to become a recognized brand – an important marker of success. With its achievements and development in this sector, Osmaniye has become a pivotal center, influencing the entire peanut market in Turkey (Şahin, 2014; Özalp & Ören, 2024).

5. DISCUSSION

Peanut cultivation in Turkey has shown significant development between 2004 and 2023. The share of peanut cultivation areas within the cereals and other crops group increased from 0,14% to 0,27%, marking an approximate 90% growth. This indicates the growing importance of peanuts within the total agricultural land. Peanut production across Turkey, which stood at 80.000 tons in 2004, reached 185.137 tons in 2023. This increase was supported not only by the expansion of cultivation areas but also by improvements in yield. The observed changes in cultivation areas reflect the dynamics of peanut farming in different provinces. In 2004, Osmaniye held the largest share of peanut cultivation areas with 39%, but this figure dropped to 25% by 2023. Meanwhile, Adana came to the forefront with a 45% share. The substantial increase in peanut cultivation areas in Adana caused a decline in Osmaniye's ranking in production. Additionally, there has been an increase in the number of provinces engaged in peanut farming, demonstrating a wider geographical spread and diversification of peanut agriculture across the country.

Mechanization in peanut production over the past two decades, along with notable increases in fertilizer costs due to the privatization of fertilizer factories and rising exchange rates, have shaped labor processes and influenced the relationships between farmers and merchants-processors. Additionally, the demands from wholesalers and retailers - particularly regarding the choice of seed varieties - affect peanut production. Together, these factors significantly impact farmers' income (Özalp & Ören, 2024).

These positive developments in peanut farming are evident through both the increase in production volume and the expansion of cultivation areas. However, the reduction in

agricultural lands at the national level and particularly in Osmaniye raises concerns about agricultural sustainability. Policies aimed at protecting agricultural lands should be developed. Furthermore, due to lack of any organization within the sector, the market structure is quite poor, leading to highly unstable prices as enterprises cannot act collectively, which results in unfair competition. The lack of engagement in organizational activities among producers appears to force them into a one-dimensional marketing system, primarily relying on intermediaries for sales (Kızılaslan & Ağcadağ, 2013). There is a need for an organization that can provide support to producers on issues such as the supply of cheap inputs, market access, innovation dissemination, and storage, thereby contributing to unity and cooperation within the sector. It is essential to cultivate the perception in Turkey that geographical indications can serve as an effective marketing tool for introducing local products to global markets (Özsoy, 2015). Although peanuts can serve as raw materials for a wide variety of products, in Turkey, they are predominantly processed and consumed as snacks. Despite the increasing production of products like peanut butter and confectionery in recent years, the production of peanut oil, which is particularly rich in nutrients, is not carried out in the country due to the high production costs. Although Turkey's oil deficit, the challenges in utilizing peanuts for oil extraction remain unresolved, leading to the consumption of peanuts largely as a snack, as is the case in many parts of the world (Parlakay & Alemdar, 2011). Given the high heat tolerance and superior nutritional profile of peanut oil, it should be integrated into Turkey's oil industry (Yılmaz et al, 2022). The expansion of alternative uses for peanuts beyond snacks could create new market opportunities for peanut producers, reducing price instability in the market and eliminating income disparities.

6. CONCLUSION

Peanut production in Turkey experienced significant development between 2004 and 2023, with increased production and expanded cultivation areas strengthening the role of peanuts in the country's agriculture. During this period of growth, the substantial increase in production in Adana and the decline in Osmaniye highlight shifting regional dynamics in peanut production.

Despite the rise in peanut cultivation areas and production, the decrease in agricultural land and cereal cultivation areas in Turkey raises concerns about agricultural sustainability.

Furthermore, the lack of organization within the sector creates price instability in the market, leading to unfair competition. This underscores the need for stronger producer organizations and sectoral collaborations. The fact that peanuts in Turkey are predominantly consumed as snacks suggests that the product's full potential remains untapped. Expanding alternative uses for peanuts and processing them into high-value-added products could create new markets for peanut producers, mitigate price instability, and reduce income disparities.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as large language models (ChatGPT, copilot, etc) and text-to-image generators have been used during writing or editing of this manuscript.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Arioğlu, H., Bakal, H., Güllüoğlu, L., Kurt, C., & Onat, B. (2016). The determination of some important agronomical and quality properties of peanut varieties in main crop conditions. *Journal of Field Crops Central Research Institute*, 25(SPECIAL ISSUE - 2), 24–29.
<https://doi.org/10.21566/tarbitderg.281656>
- Arslan, H., Ekin, Z., & Yolbaş, M. (2022). The effect of different sowing times on the yield and yield components of peanut (*Arachis hypogaea* L.) in Siirt conditions. *ISPEC Journal of Agricultural Sciences*, 6(2), 247–259.
<https://doi.org/10.46291/ISPECJASvol6iss2id305>
- Aşık, F. F., Yıldız, R., & Arioğlu, H. H. (2018). The determination of new peanut varieties for Osmaniye Region and their important agronomic and quality characteristics. *KSU*

Journal of Agriculture and Nature, 21(6), 825–836.

<https://doi.org/10.18016/ksutarimdogavi.452842>

- Bademci, M., & Sertkaya, E. (2021). Distribution, infestation rates, and population dynamics of cotton bollworm, *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) in peanut production areas in Adana and Osmaniye provinces, Turkey. *Harran Journal of Agricultural and Food Sciences*, 25(2), 193–203.
<https://doi.org/10.29050/harranziraat.891729>

- Bahşi, N., Bostan Budak, D., & Gül, A. (2012). The industry of groundnuts processing in Osmaniye. *10th National Congress of Agricultural Economics, Proceedings Book*, 5–7 September 2012, Konya.

- Baran, N., & Andırman, M. (2022). Determination of yield and yield characteristics of some peanut (*Arachis hypogaea* L.) varieties under Batman conditions. *ISPEC Journal of Agricultural Sciences*, 6(1), 58–63.
<https://doi.org/10.46291/ISPECJASvol6iss1pp58-63>

- Boydak, E., Yolcu, M. S., & Koldanca, E. (2023). The effect of planting times on yield and yield components in different peanut varieties. *Manas Journal of Agriculture Veterinary and Life Sciences*, 13(2), 139–147.
<https://doi.org/10.53518/mjavl.1322467>

- Çelik, Ç., & Gürdal, E. (2005). Usage of possibilities of agricultural wastes as concrete aggregate. *İTÜ Dergisi/a*, 4(1).
http://itudergi.itu.edu.tr/index.php/itudergisi_a/article/viewFile/940/866

- DOĞAKA. (2015). TR63 Region Groundnut Sector Report. Eastern Mediterranean Development Agency.
https://www.dogaka.gov.tr/assets/upload/dosyalar/wwwdogakagovtr_620_kb1o20ne_yerfistigi-sektor-raporu-2015.pdf
Accessed: 14 Oct. 2024

- DOĞAKA. (2024). Groundnut processing sector. Eastern Mediterranean Development Agency. <https://www.dogaka.gov.tr/dogukadeniz/osmaniye/yer-fistigi-isleme-sektoru>
Accessed: 14 Oct. 2024.

- Elinç, H., & Erman, M. (2021). The research on the seed yield and some agricultural properties of peanut cultivars cultivated as the main product in Siirt ecological conditions. *ISPEC Journal of Agricultural Sciences*, 5(3), 598–607.
<https://doi.org/10.46291/ISPECJASvol5iss3pp598-607>
- Kadiroğlu, A. (2023). Peanut cultivation. Western Mediterranean Agricultural Research Institute, Antalya, Antalya, 82s.
<https://arastirma.tarimorman.gov.tr/batem/Belgeler/Kutuphane/Teknik%20Bilgiler/yerfistigi%20yetistiriciligi.pdf> Accessed: 14 Oct. 2024
- Kadiroğlu, A. (2023a). Peanut cultivation lecture notes. Antalya Provincial Directorate of Agriculture and Forestry, Antalya, Antalya, 75s.
<https://antalya.tarimorman.gov.tr/Belgeler/Yerfistigi%20Yetistiriciligi%20Ders%20Notlari.pdf> Accessed: 14 Oct. 2024
- Karabulut, B., & Tunçtürk, R. (2019). Investigation of agricultural and quality characteristics of peanut (*Arachis hypogaea* L.) cultivars growing as the main crop in the Diyarbakır-Bismil ecological conditions. *Van Yüzüncü Yıl University Institute of Natural and Applied Sciences*, 24(2), 97–104.
<https://dergipark.org.tr/en/pub/yyufbed/issue/48502/539561>
- Kızılaslan, H., & Ağcadağ, D. (2013). The input use and marketing structure of peanut producers in Kadirli County of Osmaniye Province. *Gaziosmanpaşa Journal of Scientific Research*, (3), 1–15.
<https://dergipark.org.tr/en/pub/gbad/issue/29697/319534>
- Lavkor, İ., & Biçici, M. (2015). Aflatoxin occurrence in peanuts grown in Osmaniye at harvest, post-harvest, drying, and pre-storage periods. *Journal of Agricultural Sciences*, 21(3), 394–405.
<https://doi.org/10.15832/ankutbd.25224>
- Özalp, B. B., & Kürklü, N. S. (2020). Functional food: Peanut and its health benefits. *Academic Food Journal*, 18(3), 323–330.
<https://doi.org/10.24323/akademik-gida.818202>
- Özalp, B., & Ören, M. N. (2024). Political economy of input–output markets of groundnut: A case from the groundnut value chain of Turkey. *Journal of Agrarian Change*, 24(2), e12568.
<https://doi.org/10.1111/joac.12568>
- Özalp, B., & Ören, N. (2020). Profitability, competitiveness, and policy effects in groundnut: Policy analysis matrix. *Turkish Journal of Agricultural Economics*, 26(1), 29–39.
<https://doi.org/10.24181/tarekoder.701649>
- Özsoy, T. (2015). Use of geographical indication as a tool in creating added value. *Journal of Çukurova University Social Sciences Institute*, 24(2), 31–46.
<https://dergipark.org.tr/en/pub/cusosbil/issue/32044/354144>
- Parlakay, O., & Alemdar, T. (2011). Technical and economic efficiency of peanut production in Turkey. *Turkish Journal of Agricultural Economics*, 17(1 ve 2), 47–53.
<https://dergipark.org.tr/en/pub/tarekoder/issue/25840/272421>
- Şahin, G. (2014). Groundnut (*Arachis hypogaea* L.) cultivation in Türkiye and Osmaniye peanut as a geographical indication. *Gaziantep University Journal of Social Sciences*, 13(3).
<https://doi.org/10.21547/jss.256812>
- Topcu, Y. (2009). Logistic analysis of factors affecting the productivity of peanut farms. *Verimlilik Dergisi*, (2), 83–97.
<https://dergipark.org.tr/tr/pub/verimlilik/issue/21747/233828>
- TUIK. (2021). Bitkisel üretim istatistikleri. Türkiye İstatistik Kurumu.
<https://biruni.tuik.gov.tr/medas/?kn=92&locale=tr>
Access: 09.10.2024.
- TUIK. (2024). Bitkisel üretim istatistikleri. Türkiye İstatistik Kurumu.
<https://biruni.tuik.gov.tr/medas/?kn=92&locale=tr>
Access: 09.10.2024
- Üçeçam, D., & Hayli, S. (2004). The peanut agriculture and significance in Osmaniye. *Fırat University Journal of Social Science*, 14(2), 67–92.
https://www.researchgate.net/publication/321081875_OSMANIYE_ILINDE_YERFISTI_GI_TARIMI_VE_ONEMI_The_Peanut_Agriculture_and_Significance_in_Osmaniye
- Yılmaz, M., Şahin, C. B., Yıldız, D., Demir, G., Yıldız, R., & İşler, N. (2022). General situation of peanut (*Arachis hypogaea*) production in the world and in Turkey, major problems, and solution suggestions.

Mus Alparslan University Journal of Agriculture and Nature, 2(1), 8–17.

https://www.researchgate.net/profile/Cenk-Sahin/publication/359616489_General_situation_of_peanut_Arachis_hypogaea_production_in_the_World_and_in_Turkey_maj

or_problems_and_solution_suggestions/links/624544598068956f3c5a7b55/General-situation-of-peanut-Arachis-hypogaea-production-in-the-World-and-in-Turkey-major-problems-and-solution-suggestions.pdf

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/126659>